RJNM
ISSN 2675-4312

Received: 13/07/2026 - **Accepted:** 07/08/2026
Vol: 07.08 - August
DOI: 10.66104/cvhcsd02
Pages: 1-10

Institutional Strategies for Preventing and Mitigating Mental Exhaustion among Public Health Professionals: Proposals for Occupational Health Promotion and Workplace Well-Being

Oldair Donizete Galeni
Doutorando em Saúde Pública
Universidad de Ciencias Empresariales y Sociales, Argentina
priccf@gmail.com

Cassimar Dias Ferreira
Doutorando em Saúde Pública
Universidad de Ciencias Empresariales y Sociales, Argentina

Norton Martins Nunes
Mestrando
Universidade Federal de Uberlândia, Brasil

Sheila Érika Ferro Ramalho Nobre
Doutorando em Saúde Pública
Universidad de Ciencias Empresariales y Sociales, Argentina

Siglia Sousa de França
Doutorando em Saúde Pública
Universidad de Ciencias Empresariales y Sociales, Argentina

Mirela Galeni de Azevedo
Graduanda em Biomedicina
Universidade Paulista, Brasil

Celia Fabricio de Souza Rezende
Doutorando em Saúde Pública
Universidad de Ciencias Empresariales y Sociales, Argentina

Nidia Helena Mareco Fernandes Dantas Amaral
Doutorando em Saúde Pública
Universidad de Ciencias Empresariales y Sociales, Argentina

Abstract

Mental exhaustion among public health professionals represents a significant challenge for healthcare systems, affecting workers' quality of life, organizational performance, and the sustainability of health services. The increasing complexity of healthcare demands, combined with occupational pressures, emotional challenges, and organizational limitations,

CC BY

RJNM
ISSN 2675-4312

Received: 13/07/2026 - **Accepted:** 07/08/2026
Vol: 07.08 - August
DOI: 10.66104/cvhcsd02
Pages: 1-10

highlights the need for institutional strategies focused on prevention and mitigation of psychological suffering. This academic essay discusses approaches for promoting occupational health and workplace well-being among public health professionals, emphasizing the responsibility of healthcare organizations in creating healthier work environments. The discussion analyzes theoretical perspectives on occupational mental health, examines institutional interventions aimed at preventing burnout and exhaustion, and explores strategies related to leadership, organizational culture, worker support, and health governance. The essay argues that protecting healthcare professionals requires systemic institutional actions that integrate prevention policies, supportive management practices, psychosocial interventions, and sustainable workplace models capable of strengthening workforce resilience and improving public health system performance.

Keywords: Burnout, Professional; Occupational Health; Public Health; Stress, Psychological; Workplace.

Introduction

Healthcare professionals are fundamental actors in the functioning of public health systems, providing essential services that influence individual and collective health outcomes. However, the increasing complexity of healthcare demands has generated significant occupational challenges, exposing workers to situations involving excessive workload, emotional pressure, organizational constraints, and continuous responsibility for human lives. These conditions contribute to the emergence of mental exhaustion, occupational stress, and burnout-related phenomena among healthcare professionals worldwide.

Mental exhaustion represents one of the central dimensions of occupational psychological suffering and is strongly associated with prolonged exposure to stressful working conditions. Although healthcare work traditionally involves emotional challenges and high responsibility, persistent occupational demands without adequate institutional support may compromise professionals' psychological well-being, affecting motivation, performance, interpersonal relationships, and quality of care provided to patients.

Historically, mental health problems among healthcare workers have often been interpreted from an individual perspective, emphasizing personal coping strategies, resilience, or psychological characteristics. However, contemporary occupational health approaches demonstrate that professional exhaustion is strongly influenced by organizational and structural factors, including workload management, leadership practices, workplace culture, professional autonomy, and institutional recognition.

Public health professionals experience particular occupational pressures because they frequently operate in contexts characterized by social vulnerability, health inequalities, limited resources, and complex community needs. Professionals working in primary healthcare, hospitals, emergency services, and public health programs are required to combine technical knowledge with emotional engagement, social responsibility, and ethical decision-making, increasing psychological demands.

CC BY

RJNM
ISSN 2675-4312

Received: 13/07/2026 - **Accepted:** 07/08/2026
Vol: 07.08 - August
DOI: 10.66104/cvhcsd02
Pages: 1-10

In this scenario, healthcare institutions assume a central responsibility in preventing and mitigating occupational mental exhaustion. Rather than implementing only individual-focused interventions after psychological distress has already developed, organizations must adopt preventive strategies capable of identifying occupational risks, improving working conditions, strengthening professional support systems, and promoting healthier workplace environments.

The COVID-19 pandemic intensified global attention toward healthcare workers' mental health by exposing the consequences of prolonged occupational stress, inadequate resources, and crisis management demands. Nevertheless, the lessons derived from this period demonstrate that occupational well-being cannot depend exclusively on emergency responses but requires permanent institutional policies integrated into healthcare governance.

Considering these challenges, this academic essay aims to critically discuss institutional strategies for preventing and mitigating mental exhaustion among public health professionals. The manuscript analyzes theoretical perspectives on occupational health promotion, examines organizational interventions capable of reducing psychosocial risks, and explores proposals for developing sustainable workplace models that prioritize professional well-being as an essential component of high-quality public health systems.

Methodology

This manuscript is characterized as a theoretical academic essay based on critical-reflective analysis of scientific knowledge regarding occupational mental health, institutional strategies, psychosocial risks, and workplace well-being among public health professionals. Academic essays constitute a relevant methodological approach in health sciences because they allow conceptual integration, theoretical discussion, and critical interpretation of complex phenomena through dialogue with established scientific perspectives.

The discussion was developed through the articulation of contemporary scientific literature, occupational health theories, organizational management perspectives, and international recommendations regarding healthcare workforce protection. The analysis considers institutional, organizational, and psychosocial dimensions involved in the prevention and mitigation of mental exhaustion, emphasizing the role of healthcare organizations as active agents in promoting healthier professional environments.

The methodological approach prioritizes theoretical coherence, critical synthesis, and argumentative construction rather than empirical investigation. In accordance with the structure adopted for this academic essay, all bibliographic references supporting the arguments presented throughout the manuscript are provided exclusively in the final section, following the standards of the American Psychological Association (APA, 7th edition).

CC BY

RJNM
ISSN 2675-4312

Received: 13/07/2026 - **Accepted:** 07/08/2026
Vol: 07.08 - August
DOI: 10.66104/cvhcsd02
Pages: 1-10

Development

1. Theoretical Foundations of Institutional Approaches for Preventing Occupational Mental Exhaustion among Public Health Professionals

The prevention of occupational mental exhaustion requires a conceptual shift from individual-centered approaches toward institutional responsibility models. Contemporary occupational health perspectives recognize that psychological suffering among healthcare professionals emerges from the interaction between workers and their environments, meaning that organizations play a decisive role in either increasing or reducing occupational risks.

Theoretical models of occupational stress emphasize that professional exhaustion develops when workplace demands exceed available resources for prolonged periods. In healthcare settings, these demands include workload intensity, emotional involvement, ethical responsibilities, and organizational pressures, while resources involve social support, autonomy, recognition, adequate staffing, and effective leadership.

The Job Demands–Resources model provides an important theoretical basis for understanding why institutional interventions are necessary in preventing occupational exhaustion. According to this framework, organizations can reduce the negative effects of professional demands by increasing available resources, improving workplace conditions, and creating environments where employees have greater support, autonomy, and opportunities for recovery.

Within healthcare institutions, prevention strategies must recognize that mental exhaustion is not simply a consequence of professional responsibilities but also of how work is structured and managed. The same clinical demands may produce different psychological outcomes depending on organizational factors such as leadership quality, teamwork, communication processes, and institutional commitment to worker well-being.

Occupational health promotion has progressively incorporated a broader understanding of workplace well-being, moving beyond the prevention of diseases toward the creation of environments that support professional development, psychological safety, and meaningful work experiences. In this perspective, institutions are responsible for designing organizational systems that protect workers while maintaining high-quality healthcare delivery.

The concept of psychosocial safety climate is particularly relevant for healthcare organizations because it refers to the extent to which institutions prioritize employees' psychological health through policies, practices, and leadership behaviors. Workplaces with strong psychosocial safety climates tend to demonstrate better recognition of occupational risks, greater access to support mechanisms, and stronger prevention-oriented cultures.

Institutional responsibility also involves recognizing the relationship between professional well-being and patient care quality. Healthcare workers experiencing severe exhaustion may face difficulties with concentration, communication, decision-making, and emotional

CC BY

RJNM
ISSN 2675-4312

Received: 13/07/2026 - **Accepted:** 07/08/2026
Vol: 07.08 - August
DOI: 10.66104/cvhcsd02
Pages: 1-10

availability. Therefore, protecting professionals' mental health is not only an occupational health objective but also an essential component of healthcare safety and effectiveness.

Another theoretical dimension involves organizational justice and perceived fairness in workplace relationships. Professionals who perceive unequal treatment, insufficient recognition, limited participation in decisions, or inadequate distribution of resources may experience frustration and reduced organizational commitment. Conversely, fair and transparent institutions tend to promote trust, engagement, and psychological well-being.

The prevention of mental exhaustion also requires understanding the importance of professional meaning and recognition. Healthcare workers are frequently motivated by values related to care, solidarity, and social contribution. Institutional practices that acknowledge these values and provide conditions for meaningful professional practice may strengthen motivation and reduce the negative effects of occupational stress.

Therefore, theoretical perspectives on occupational mental health demonstrate that institutions are central actors in preventing psychological exhaustion among public health professionals. Effective prevention requires organizational transformations capable of aligning healthcare demands with adequate resources, supportive environments, and policies that recognize workers as fundamental components of health system sustainability.

2. Organizational Strategies, Workplace Interventions, and Institutional Responsibilities for Occupational Well-Being

Institutional strategies for preventing mental exhaustion should begin with systematic assessment of workplace conditions and psychosocial risks. Organizations need reliable mechanisms to identify factors contributing to professional distress, including excessive workload, communication failures, leadership problems, workplace conflicts, and insufficient support. Occupational health interventions become more effective when they are based on a comprehensive understanding of real workplace experiences.

One important strategy involves implementing continuous occupational mental health monitoring systems. Rather than waiting for severe psychological symptoms or absenteeism, institutions should develop proactive approaches capable of identifying early signs of exhaustion, dissatisfaction, and emotional overload. Regular assessments of workplace climate, professional satisfaction, and psychosocial risks can guide preventive actions and organizational improvements.

Workload management represents a fundamental institutional responsibility. Healthcare organizations must evaluate staffing levels, distribution of responsibilities, working schedules, and operational demands to prevent chronic overload. Excessive workloads not only increase psychological risks but may also compromise patient safety and reduce the effectiveness of healthcare services.

CC BY

RJNM
ISSN 2675-4312

Received: 13/07/2026 - **Accepted:** 07/08/2026
Vol: 07.08 - August
DOI: 10.66104/cvhcsd02
Pages: 1-10

Leadership development is another essential component of workplace well-being strategies. Managers and supervisors influence organizational culture, communication patterns, and professional experiences. Training leaders to recognize occupational risks, provide emotional support, encourage teamwork, and promote participatory decision-making can transform workplace environments and reduce psychological distress.

Creating spaces for professional dialogue and collective reflection is also important. Healthcare work frequently involves emotionally challenging experiences that require opportunities for discussion and shared processing. Team meetings, reflective groups, and peer-support initiatives allow professionals to exchange experiences, strengthen social connections, and reduce feelings of isolation.

Institutional programs focused on psychological support should be integrated into routine healthcare management. Access to confidential counseling, psychological assistance, and occupational health services provides professionals with resources to address emotional challenges. However, these initiatives should complement broader organizational changes rather than functioning as substitutes for improvements in working conditions.

Promoting work-life balance is another important institutional strategy. Healthcare organizations can contribute to professional well-being by adopting flexible scheduling when possible, respecting rest periods, encouraging vacation utilization, and preventing excessive availability expectations. Recovery opportunities are essential for maintaining psychological health and long-term professional sustainability.

Recognition and appreciation practices also play a significant role in occupational well-being. Healthcare professionals often perform emotionally demanding work under challenging conditions, and lack of recognition may contribute to frustration and disengagement. Institutional cultures that acknowledge professional contributions strengthen motivation and reinforce a sense of belonging.

The development of institutional policies that promote inclusion, respect, and psychological safety is essential for preventing workplace-related suffering. Healthcare environments frequently involve hierarchical relationships and intense interpersonal interactions, which may generate conflicts, discrimination, or communication difficulties. Organizations committed to occupational well-being must establish mechanisms to prevent workplace violence, promote respectful relationships, and ensure that professionals feel protected and valued.

Furthermore, institutional interventions should recognize that occupational mental health is influenced by broader social and professional contexts. Factors such as employment stability, career development opportunities, adequate remuneration, and access to professional training contribute significantly to workers' perceptions of security and satisfaction. Therefore, comprehensive strategies must integrate immediate workplace interventions with long-term workforce management policies.

CC BY

RJNM
ISSN 2675-4312

Received: 13/07/2026 - **Accepted:** 07/08/2026
Vol: 07.08 - August
DOI: 10.66104/cvhcsd02
Pages: 1-10

3. Building Sustainable Public Health Workplaces: Governance, Prevention Policies, and Future Perspectives

Developing sustainable workplaces within public health systems requires integrating occupational mental health into institutional governance structures. Worker well-being should not be treated as an isolated human resources issue but as a strategic component of healthcare planning, quality improvement, and organizational performance. Institutions that incorporate mental health promotion into their governance models are better positioned to maintain resilient and effective healthcare services.

A central strategy involves establishing permanent occupational health policies rather than temporary initiatives. Sustainable prevention requires institutional programs with defined objectives, dedicated resources, professional participation, and continuous evaluation. Policies should move beyond reactive responses to psychological crises and focus on creating conditions that prevent distress before it becomes severe.

Strengthening occupational health services within healthcare organizations represents an important pathway for protecting professionals. These services should combine clinical support, workplace risk assessment, health promotion activities, and organizational recommendations. Their role should extend beyond individual care to include institutional analysis and participation in strategies aimed at improving working environments.

Healthcare organizations should also develop comprehensive approaches to leadership and management. Traditional administrative models focused exclusively on productivity and service delivery may neglect the human dimensions of healthcare work. Leadership practices based on empathy, communication, shared responsibility, and recognition can contribute significantly to healthier professional environments.

The incorporation of participatory management mechanisms is another important strategy for sustainable workplace development. Healthcare professionals possess practical knowledge regarding organizational challenges and possible solutions. Creating spaces for worker participation in institutional decisions increases autonomy, strengthens trust, and allows interventions to better reflect the realities experienced by teams.

Institutional resilience should also be understood as a collective capacity rather than an individual characteristic. Healthcare systems frequently emphasize professional resilience as a personal responsibility, but sustainable resilience depends on supportive organizations capable of providing adequate resources, fair conditions, and mechanisms for recovery. Institutions must therefore create environments where professionals can maintain performance without compromising their mental health.

Education and training programs focused on occupational mental health should become permanent components of healthcare workforce development. Professionals and managers need competencies to identify psychosocial risks, communicate effectively, support colleagues, and implement prevention strategies. Education contributes not only to individual awareness but also to cultural transformation within organizations.

CC BY

RJNM
ISSN 2675-4312

Received: 13/07/2026 - **Accepted:** 07/08/2026
Vol: 07.08 - August
DOI: 10.66104/cvhcsd02
Pages: 1-10

Technology may support institutional occupational health strategies when implemented responsibly. Digital platforms for psychological support, workplace assessments, communication channels, and professional training can expand access to resources. However, digital solutions must remain integrated with human-centered approaches, ensuring that technology enhances rather than replaces organizational care.

Evaluation and accountability mechanisms are essential for ensuring the effectiveness of occupational mental health policies. Institutions should monitor indicators related to absenteeism, turnover, professional satisfaction, workplace climate, and psychological well-being. Evidence-based evaluation allows organizations to identify weaknesses, improve interventions, and demonstrate commitment to workforce protection.

Finally, strengthening public health workplaces requires a cultural transformation in which healthcare professionals are recognized as essential assets whose health directly influences the quality and sustainability of health systems. Preventing mental exhaustion is not merely a matter of reducing individual suffering but a strategic investment in organizational effectiveness, patient safety, and the continuity of comprehensive public healthcare.

Conclusion

Institutional strategies for preventing and mitigating mental exhaustion among public health professionals require a comprehensive understanding of occupational health as a collective responsibility. Psychological suffering among healthcare workers is not solely determined by individual characteristics but is strongly influenced by organizational structures, workplace conditions, leadership practices, and institutional priorities. Therefore, effective prevention depends on transforming healthcare environments through proactive policies, supportive management, and sustainable approaches capable of protecting professionals throughout their careers.

Promoting occupational health and workplace well-being should be recognized as a strategic priority for public health systems. Investments in psychosocial safety, adequate working conditions, professional recognition, participatory governance, and continuous support mechanisms contribute not only to healthier workers but also to stronger and more resilient healthcare organizations. By adopting institutional approaches centered on prevention and humanized management, health systems can improve workforce sustainability while ensuring higher-quality, safer, and more equitable care for populations.

References

Bakker, A. B., & Demerouti, E. (2017). Job demands–resources theory: Taking stock and looking forward. *Journal of Occupational Health Psychology, 22*(3), 273–285. https://doi.org/10.1037/ocp0000056

CC BY

RJNM
ISSN 2675-4312

Received: 13/07/2026 - **Accepted:** 07/08/2026
Vol: 07.08 - August
DOI: 10.66104/cvhcsd02
Pages: 1-10

Demerouti, E., Bakker, A. B., Nachreiner, F., & Schaufeli, W. B. (2021). The job demands–resources model of burnout. *Journal of Applied Psychology, 86*(3), 499–512.

De Hert, S. (2020). Burnout in healthcare workers: Prevalence, impact and preventative strategies. *Local and Regional Anesthesia, 13*, 171–183. https://doi.org/10.2147/LRA.S240564

Duarte, I., Teixeira, A., Castro, L., Marina, S., Ribeiro, C., Jácome, C., & Serrão, C. (2020). Burnout among Portuguese healthcare workers during the COVID-19 pandemic. *BMC Public Health, 20*, 1885. https://doi.org/10.1186/s12889-020-09980-z

Greenberg, N., Docherty, M., Gnanapragasam, S., & Wessely, S. (2020). Managing mental health challenges faced by healthcare workers during COVID-19 pandemic. *BMJ, 368*, m1211. https://doi.org/10.1136/bmj.m1211

International Labour Organization. (2022). *A safe and healthy working environment is a fundamental principle and right at work.* International Labour Organization.

Lai, J., Ma, S., Wang, Y., Cai, Z., Hu, J., Wei, N., Wu, J., Du, H., Chen, T., Li, R., Tan, H., Kang, L., Yao, L., Huang, M., Wang, H., Wang, G., Liu, Z., & Hu, S. (2020). Factors associated with mental health outcomes among healthcare workers exposed to coronavirus disease 2019. *JAMA Network Open, 3*(3), e203976. https://doi.org/10.1001/jamanetworkopen.2020.3976

Maslach, C., & Leiter, M. P. (2022). *The burnout challenge: Managing people's relationships with their jobs.* Harvard University Press.

Montgomery, A., Todorova, I., Baban, A., & Panagopoulou, E. (2021). Improving quality and safety in healthcare through improved work environments. *BMJ Quality & Safety, 30*(9), 725–731.

National Institute for Occupational Safety and Health. (2020). *Healthcare workers: Work stress and mental health.* Centers for Disease Control and Prevention.

Panagioti, M., Geraghty, K., Johnson, J., Zhou, A., Panagopoulou, E., Chew-Graham, C., Peters, D., Hodkinson, A., & Esmail, A. (2018). Association between physician burnout and identification of patient safety incidents: A systematic review and meta-analysis. *JAMA Internal Medicine, 178*(10), 1317–1331. https://doi.org/10.1001/jamainternmed.2018.3713

Schaufeli, W. B. (2021). The burnout enigma solved? *Scandinavian Journal of Work and Organizational Psychology, 6*(1), 1–13.

West, C. P., Dyrbye, L. N., Erwin, P. J., & Shanafelt, T. D. (2016). Interventions to prevent and reduce physician burnout: A systematic review and meta-analysis. *The Lancet, 388*(10057), 2272–2281. https://doi.org/10.1016/S0140-6736(16)31279-X

World Health Organization. (2020). *Health workforce policy and management in the context of the COVID-19 pandemic response.* World Health Organization.

CC BY

RJNM
ISSN 2675-4312

Received: 13/07/2026 - **Accepted:** 07/08/2026
Vol: 07.08 - August
DOI: 10.66104/cvhcsd02
Pages: 1-10

World Health Organization. (2022). *WHO guidelines on mental health at work.* World Health Organization.

CC BY